Table 1C

2006 Pediatric Nutrition Surveillance Colorado

Summary of Demographic Indicators Children Aged < 5 Years

(2,3)

Total Records	Number
Individual Children	97,607
Total Records (All Visits)	175,683

Source of Data	Number	%
WIC EPSDT Child Health-MCH Child Health-HMO Headstart School Health Other	97,607 0 0 0 0 0 0	100.0 0.0 0.0 0.0 0.0 0.0 0.0
Total Excluded Unknown: 0 0.0 %	97,607	100.0

(1)

Page:

Run Date:

5/1/07

Race/Ethnic Distribution	Number	%
White, Not Hispanic	28,429	29.1
Black, Not Hispanic	5,718	5.9
Hispanic	57,980	59.4
American Indian/Alaskan Native	952	1.0
Asian/Pacific Islander	1,362	1.4
Multiple Races	3,116	3.2
All Other	0	0.0
Total	97,557	100.0
Excluded Unknown: 50 * '	%	

Age Distribution (4)	Number	%
0 - 5 Months 6 - 11 Months 12 - 23 Months 24 - 35 Months 3 - 4 Years	25,704 15,890 18,413 14,567 23,033	26.3 16.3 18.9 14.9 23.6
Total	97,607	100.0

% of Poverty Level	Number	%
0-50	0	0.0
51-100	0	0.0
101-130	0	0.0
131-150	0	0.0
151-185	0	0.0
186-200	0	0.0
Over 200	0	0.0
Adjunctive Eligibility	0	0.0
Total	0	0.0
Excluded 97,607 100. %		

Program Participation	Number	%
WIC	0	0.0
FoodStamps	0	0.0
Medicaid	0	0.0
TANF	0	0.0
Excluded Unknown:		
WIC	97,607	100.0
FoodStamps	97,607	100.0
Medicaid	97,607	
TANF	97,607	100.0

Migrant S	tatus	Number	%
Yes		0	0.0
No		0	0.0
Total		0	0.0
Excluded Unknown	97,607 100. %		

CDC

⁽¹⁾ Reporting period is January 1 through December 31.(2) Analyses based on one record per child.

Excludes records with unknown data or errors.

Records rejected if date of birth and date of visit unknown.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Summary of Health Indicators Children Aged < 5 Years (2)

9	Summary of Healt	h Indicators	(3)				
			Colorado Prevalence				al nce ear)
		Number	%	Number	%		
Birthweight (4) Low High	< 2500 g > 4000 g	26,634 26,634	10.1 4.6	1,641,264 1,641,264	9.4 6.6		
Height and Weight Short Stature (5)	< 5th < 10th	96,600 96,600	8.1 14.6	6,709,486 6,709,486	6.4 11.4		
Underweight (6)	< 5th < 10th	96,600 96,600	3.7 7.3	6,709,486 6,709,486	4.8 8.1		
Overweight (6) ≥ 2 Yrs Overweight (6)	≥ 95th 85th - < 95th ≥ 95th	96,600 37,111 37,111	8.2 14.7 9.6	6,709,486 2,869,075 2,869,075	13.9 16.1 14.7		
Anemia (7) Low Hb Low Hct Low Hb/Hct		51,306 668 51,974	12.2 3.9 12.1	3,841,438 773,087 4,381,087	14.1 9.8 13.6		
Breastfeeding (8) Ever Breastfed Breastfed At Least 6 Mor		26,660 20,820 14,266	74.2 28.9 18.5	1,515,954 751,259 869,342	58.5 24.3 17.7		
Smoking in Household ≤ 2 Hours TV Viewing/ Day	(9)	0	*	1,120,034 343,170	16.9 64.7		

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Infants born during the reporting period included in the analysis.
- (5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies children at risk of overweight.
- (7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- (8) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (9) Children aged 2 years and older included in the analysis.
- Percentages are not calculated if < 100 records are available for analysis after exclusions.



Page:

Run Date:

Summary of Breastfeeding Indicators Children Aged < 5 Years (2)

Summary of Breastfeeding Indicators (3)							
	Colorado Prevalence		National Prevalence (Prior Year)				
	Number	%	Number	%			
Breastfeeding Duration (4,5)							
Ever Breastfed	26,660	74.2	1,515,954	58.5			
Breastfed 1+ Weeks Breastfed 2+ Weeks Breastfed 3+ Weeks Breastfed 4+ Weeks Breastfed 6+ Weeks	26,291 23,636 21,272 19,775 18,495	74.3 68.2 62.9 59.3 52.0	1,172,664 926,501 762,421 664,998 564,520	56.4 53.2 50.4 47.8 41.9			
Breastfed 2+ Months Breastfed 3+ Months Breastfed 4+ Months Breastfed 5+ Months Breastfed 6+ Months	18,267 19,036 19,520 20,457 20,820	46.8 41.1 35.8 31.7 28.9	534,246 566,821 639,313 718,188 751,259	36.5 32.0 28.6 25.9 24.0			
Breastfed 9+ Months Breastfed 12+ Months	15,883 14,266	22.6 18.5	791,337 869,342	20.4 17.7			
Breastfed 18+ Months	12,484	11.3	653,767	12.4			
Exclusive Breastfeeding (6)							
Exclusively Breastfed at Least 3 Months Exclusively Breastfed at Least 6 Months	0	*	101,887 136,891	13.6			

⁽¹⁾ Reporting period is January 1 through December 31.



Page:

Run Date:

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the Ever Breastfed analysis. For each breastfeding duration category, the analysis includes only children who turned that age during the reporting period by/on their date of visit. For example, infants who turned 9 months old during the reporting period by/on their date of visit are included in the 9+ months analysis.

⁽⁵⁾ It is possible the analysis will show that slightly more infants are breastfed at older ages, e.g. 1+ week of age, than at younger ages, e.g. at birth (ever breastfed), due to variation in infants included in each breastfeeding analysis category.

⁽⁶⁾ The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

2006 Pediatric Nutrition Surveillance (1)

Colorado

Comparison of Racial and Ethnic Distribution by Contributor Children Aged < 5 Years (2)

Comparison of Racial and Ethnic Distribution by Contributor American Number White, Not Black, Not Hispanic Asian/Pacific Multiple Races All Other / Contributor Indian/Alaskan Hispanic Included in Hispanic Islander Unknown Native Analysis (3) % % % % % 97,607 29.1 5.9 59.4 1.0 3.2 0.1 1.4 Colorado Nation 7,117,562 32.3 18.5 37.7 1.0 2.5 1.0 7.0 (Prior Year)



Page:

Run Date:

⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with errors.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

2006 Pediatric Nutrition Surveillance (1)

Comparison of Age Distribution by Contributor Children Aged < 5 Years (2)

Comparison of Age Distribution by Contributor							
Contributor	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %			
Colorado	97,607	42.6	18.9	38.5			
Nation (Prior Year)	7,117,562	35.3	22.0	42.6			



Page:

Run Date:

⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.
(3) Excludes records with unknown data or errors.

⁽⁴⁾ Records rejected if date of birth and date of visit unknown.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 1 Run Date: 5 / 1 / 07

Comparison of Growth and Anemia Indicators by Contributor Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Contributor (3)												
		Birthweigh	nt (4)		Height and Weight							
		Low	High		Short Stature (5)	Under- weight (6)	Over- weight (6)		≥ 2 Yrs Over- weight (6)		Anemia Low Hb/Hct (7)	
Contributor	Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% >95th	Number	% 85th- <95th	% >95th	Number	%
Colorado	26,634	10.1	4.6	96,600	8.1	3.7	8.2	37,111	14.7	9.6	51,974	12.1
Nation (Prior Year)	1,641,264	9.4	6.6	6,709,486	6 6.4	4.8	13.9	2,869,07	5 16.1	14.7	4,381,087	7 13.6



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the analysis.

⁽⁵⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁶⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

⁽⁷⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7C

2006 Pediatric Nutrition Surveillance (1) Colorado

Page:

5/1/07

Run Date:

(2) Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Contributor Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Contributor								
		Breastfeeding (5)		Exclusive B	reastfeeding (6)	≤2 Hours TV Viewing/Day (7)	Smoking in Household	
Contributor	Number % Ever Breastfed	Number % Breastfed At Least 6 Months	Number % Breastfed At Least 12 Months	Number % Breastfed At Least 3 Months	Number % Breastfed At Least 6 Months	Number %	Number %	
Colorado	26,660 74.2	20,820 28.9	14,266 18.5	0 *	0 *	0 *	0 *	
Nation (Prior Year)	1,515,954 58.5	751,259 24.3	869,342 17.7	101,887 13.6	136,891 6.8	343,170 64.7	1,120,034 16.9	



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ TV Viewing and Smoking in Household data are not reported by all contributors.

⁽³⁾ Analyses based on one record per child.

⁽⁴⁾ Excludes records with unknown data or errors.

⁽⁵⁾ Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

⁽⁶⁾ The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

Children ages 2 years and older included in the analyses.


Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Page: 5/1/07 Run Date:

Growth and Anemia Indicators by Race/Ethnicity or Age Children Aged < 5 Years

	Growth	and An	emia In	dicators	by Rac	e/Ethr	nicity o	r Age 🤫	3)			
	Bir	thweight (4	4)			Hei	ght and W	eight /				
		Low %	High %		Short Stature (5)	Under- weight (6)	Over- weight (6)		≥ 2 Yrs Overweight (6)		Anemi Low Hb/	
	Number	<2500 g	>4000 g	Number	% <5th	% <5th	% <u>></u> 95th	Number	% 85th-<95th	% <u>></u> 95th	Number	%
Race/Ethnicity												
White, Not Hispanic	7,787	10.7	4.8	28,156	9.1	4.4	6.3	10,719	13.9	6.7	14,481	10.3
Black, Not Hispanic	1,812	17.2	2.5	5,634	10.2	5.2	6.3	1,800	12.1	6.5	2,673	20.3
Hispanic	15,630	8.8	4.8	57,414	7.4	3.1	9.2	22,459	15.5	11.2	31,956	12.2
American Indian/Alaskan Native	268	14.9	5.6	937	6.3	3.1	10.1	369	13.6	13.0	521	13.6
Asian/Pacific Islander	408	11.0	3.2	1,341	9.2	5.3	7.2	456	10.1	10.3	669	12.0
Multiple Races	707	12.0	3.3	3,077	8.0	4.5	7.9	1,305	12.1	7.9	1,661	12.2
All Other	22	*	*	41	*	*	*	3	*	*	13	*
Total	26,634	10.1	4.6	96,600	8.1	3.7	8.2	37,111	14.7	9.6	51,974	12.1
Age												
0 - 11 Months	_	_	_	41,182	11.0	3.4	6.7	_	*	*	6,451	14.8
12 - 23 Months	-	-	-	18,307	7.9	4.7	8.5	_	*	*	18,725	13.3
24 - 35 Months	-	-	-	14,376	5.3	3.4	8.5	14,376	14.4	8.5	10,709	14.0
36 - 47 Months	-	-	-	12,041	5.1	3.8	9.6	12,041	14.4	9.6	9,359	9.9
48 - 59 Months	-	-	-	10,694	4.4	3.1	11.0	10,694	15.4	11.0	6,730	6.3
Total	-	-	-	96,600	8.1	3.7	8.2	37,111	14.7	9.6	51,974	12.1

⁽⁷⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.





⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the analysis.

⁽⁵⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁶⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

Page: 1 Run Date: 5 / 1 / 07

(2)

Breastfeeding, TV Viewing, and Smoking in Household by Race/Ethnicity or Age
Children Aged < 5 Years

(3)

Breastfeeding, 1	V Viewin	g, and S	Smoking i	in Hou	sehold by	/ Race/	-	_	()	
			Breastfee (5)		<2 Hou TV/Vid Viewing/D	leo	Smokii House			
	Number B	% Ever reastfed	L	% eastfed At east 6 onths	ı	% eastfed At east 12 lonths	Number	%	Number	%
Race/Ethnicity										
White, Not Hispanic	7,795	74.8	6,015	29.9	4,184	18.8	0	*	0	*
Black, Not Hispanic	1,812	68.2	1,395	22.9	839	13.1	0	*	0	*
Hispanic	15,645	75.1	12,312	29.4	8,431	19.0	0	*	0	*
American Indian/Alaskan Native	268	76.1	175	27.4	135	18.5	0	*	0	*
Asian/Pacific Islander	408	58.1	295	23.1	185	17.3	0	*	0	*
Multiple Races	708	71.5	611	26.0	482	15.8	0	*	0	*
All Other	24	*	17	*	10	*	0	*	0	*
Total	26,660	74.2	20,820	28.9	14,266	18.5	0	*	0	*
Age										
0 - 11 Months	-	-	-	-	-	-	0	*	0	*
12 - 23 Months	-	-	-	-	-	-	0	*	0	*
24 - 35 Months	-	-	-	-	-	-	0	*	0	*
36 - 47 Months	-	-	-	-	-	-	0	*	0	*
48 - 59 Months	-	-	-	-	-	-	0	*	0	+
Total	26,660	74.2	20,820	28.9	14,266	18.5	0	*	0	*



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ TV Viewing and Smoking in Household are not reported by all contributors.

⁽³⁾ Analyses based on one record per child.

⁽⁴⁾ Excludes records with unknown data or errors.

⁽⁵⁾ Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: Run Date: 5/1/07

Summary of Trends in Racial and Ethnic Distribution Children Aged < 5 Years (2)

Summary of Trends in Racial and Ethnic Distribution												
Year	Number Included in	White, Not Hispanic	Black, Not Hispanic	Hispanic	American Indian/Alaskan Native	Asian/Pacific Islander	Multiple Races	All Other / Unknown				
	Analysis (3)	%	%	%	%	%	%	%				
2006	97,607	29.1	5.9	59.4	1.0	1.4	3.2	0.1				
2005	94,142	27.7	4.9	49.8	0.7	1.2	1.8	13.9				
2004	94,244	36.1	5.9	52.4	0.6	1.4	0.0	3.6				
2003	120,249	36.7	5.7	52.9	0.6	1.4	0.0	2.7				
2002	82,178	38.9	6.0	50.7	0.7	1.4	0.0	2.3				
2001	77,024	40.8	6.4	48.6	0.8	1.5	0.0	2.0				
2000	73,197	43.4	6.9	45.6	0.7	1.5	0.0	1.8				
1999	22,628	46.0	6.9	44.8	0.6	1.6	0.0	0.0				
1998	77,442	50.0	7.5	39.9	0.8	1.8	0.0	0.0				
1997	69,306	51.3	8.0	37.9	0.9	1.8	0.0	0.0				
1996	65,146	52.7	8.3	36.2	0.9	1.9	0.0	0.0				
1995	72,545	54.4	8.6	34.1	0.8	2.0	0.0	0.0				
1994	75,458	56.7	8.8	31.5	0.8	2.1	0.0	0.0				
1993	67,445	57.8	8.6	30.8	0.8	2.1	0.0	0.0				
1992	59,856	57.3	8.4	31.4	0.9	1.9	0.0	0.0				
1991	52,209	57.8	8.4	30.8	0.9	2.0	0.0	0.0				
1990	51,166	57.9	8.4	30.8	0.9	1.9	0.0	0.0				
1989	53,698	58.7	8.0	30.4	0.8	2.0	0.0	0.0				
1988	47,847	59.4	6.8	30.8	0.8	2.2	0.0	0.0				

⁽¹⁾ Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with errors.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: Run Date: 5/1/07

Summary of Trends in Racial and Ethnic Distribution Children Aged < 5 Years (2)

	Summary of Trends in Racial and Ethnic Distribution												
Year	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races	All Other / Unknown %					
1987	45,926	60.0	6.0	31.2	0.7	2.0	0.0	0.1					
1986	41,244	59.2	5.1	32.8	0.6	2.2	0.0	0.1					
1985	38,737	58.1	4.8	33.9	0.5	2.6	0.0	0.1					
1984	35,850	56.5	4.4	35.4	0.5	3.1	0.0	0.1					
1983	31,074	55.4	4.2	36.9	0.5	3.1	0.0	0.0					
1982	27,860	52.0	4.1	40.0	0.5	3.3	0.0	0.0					
1981	23,610	50.5	3.9	42.1	0.4	3.1	0.0	0.1					
1980	23,983	51.6	4.0	42.0	0.4	2.0	0.0	0.1					
1979	16,489	50.4	3.9	43.9	0.4	1.4	0.0	0.0					
1978	3,106	57.6	1.7	38.4	0.3	1.4	0.0	0.5					
1977	5	*	*	*	*	*	*	*					
1976	1	*	*	*	*	*	*	*					
1975	3	*	*	*	*	*	*	*					

⁽¹⁾ Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with errors.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Summary of Trends in Age Distribution Children Aged < 5 Years (2)

Page: Run Date: 5/1/07

	Summary of Trends in Age Distribution (3)										
Year	Number Included in Analysis (4)	0-11 Months %	12-23 Months %	24-59 Months %							
2006	97,607	42.6	18.9	38.5							
2005	94,142	42.2	19.4	38.4							
2004	94,244	41.0	19.9	39.0							
2003	120,249	36.2	21.1	42.7							
2002	82,178	38.5	21.2	40.4							
2001	77,024	38.0	21.7	40.3							
2000	73,197	36.8	22.6	40.6							
1999	22,628	31.7	22.6	45.7							
1998	77,442	36.8	21.3	41.8							
1997	69,306	37.8	20.5	41.7							
1996	65,146	36.2	20.6	43.2							
1995	72,545	31.4	23.3	45.3							
1994	75,458	33.9	22.6	43.5							
1993	67,445	35.0	23.4	41.6							
1992	59,856	38.3	24.6	37.1							
1991	52,209	41.4	25.9	32.7							
1990	51,166	36.4	23.4	40.2							
1989	53,698	34.1	23.3	42.7							

 ⁽¹⁾ Reporting period is January 1 through December 31.
 (2) Analyses based on one record per child.
 (3) Records rejected if date of birth and date of visit unknown.

 ⁽⁴⁾ Excludes records with unknown data or errors.
 * Percentages are not calculated if < 100 records are available for analysis after exclusions.

Summary of Trends in Age Distribution Children Aged < 5 Years (2)

	Summ	ary of Trends in Age	Distribution (3)	
Year	Number	0-11 Months	12-23 Months	24-59 Months
	Included in Analysis (4)	%	%	%
1988	47,847	35.3	25.0	39.7
1987	45,926	38.3	22.7	39.0
1986	41,244	39.7	21.6	38.8
1985	38,737	36.7	20.0	43.3
1984	35,850	36.0	21.8	42.3
1983	31,074	38.4	22.3	39.3
1982	27,860	36.9	20.8	42.3
1981	23,610	37.8	21.7	40.6
1980	23,983	36.8	20.8	42.4
1979	16,489	37.4	20.7	41.9
1978	3,106	34.7	21.9	43.4
1977	5	*	*	*
1976	1	*	*	*
1975	3	*	*	*



Page:

Run Date:

 ⁽¹⁾ Reporting period is January 1 through December 31.
 (2) Analyses based on one record per child.
 (3) Records rejected if date of birth and date of visit unknown.
 (4) Excludes records with unknown data or errors.
 * Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 1 Run Date: 5/1/2007

Summary of Trends in Growth and Anemia Indicators Children Aged < 5 Years (2)

	Summary of Trends in Growth and Anemia Indicators (3)												
	В	irthweight (4)			Heiç	ght and V	/eight			Aner Low H		
Year		Low	High		Short Stature (5)	Under- weight (6)	Over- weight (6)	>_2 Yrs Overweight (6)			(7		
	Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% <u>></u> 95th	Number	% 85th-<95th	% ≥95th	Number	%	
2006	26,634	10.1	4.6	96,600	8.1	3.7	8.2	37,111	14.7	9.6	51,974	12.1	
2005	25,116	10.2	4.4	93,218	8.1	3.4	8.5	35,758	15.0	9.7	49,072	10.2	
2004	24,576	10.0	4.7	92,708	7.9	3.5	8.7	36,113	14.6	9.6	50,135	7.5	
2003	32,258	10.2	4.9	118,648	7.9	4.2	8.6	50,773	13.6	9.4	51,116	7.8	
2002	23,891	9.8	5.0	81,231	8.4	4.5	8.0	32,878	13.3	8.7	45,253	7.4	
2001	22,099	9.9	4.9	76,133	8.4	4.4	7.7	30,790	12.8	8.5	41,667	7.1	
2000	21,128	9.8	5.1	72,143	12.9	3.4	12.8	29,384	16.2	11.0	39,934	6.6	
1999	5,964	9.4	4.8	22,379	12.7	3.2	12.7	10,258	15.8	11.8	10,612	6.5	
1998	20,952	9.7	5.3	76,331	12.8	3.5	11.8	32,142	15.5	9.9	44,640	6.4	
1997	16,185	10.3	5.1	68,172	12.4	3.6	11.8	28,622	15.0	9.7	44,668	7.0	

⁽¹⁾ Reporting period is January 1 through December 31.



⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the analysis.

⁽⁵⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁶⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

⁽⁷⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 2 Run Date: 5/1/2007

Summary of Trends in Growth and Anemia Indicators Children Aged < 5 Years (2)

	Summary of Trends in Growth and Anemia Indicators (3)												
	В	irthweight (4)			Heiç	ght and V	/ eight			Anemia Low Hb/Hct		
Year		Low	High		Short Stature (5)	Under- weight (6)	Over- weight (6)	>_2 Yrs Overweight (6)			(7)	W IGt	
	Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% <u>></u> 95th	Number	% 85th-<95th	% ≥95th	Number	%	
1996	14,920	11.3	5.0	63,333	12.7	3.6	11.6	27,381	14.7	9.0	39,531	7.0	
1995	15,629	10.5	5.1	69,454	14.0	4.3	9.4	32,220	13.7	7.6	43,982	7.2	
1994	18,759	10.3	5.1	71,745	12.8	5.3	7.3	32,434	11.9	6.5	47,451	6.9	
1993	17,482	10.1	5.0	65,384	9.7	5.7	6.7	27,612	10.7	5.9	41,506	7.3	
1992	16,960	10.1	5.3	57,832	9.8	6.0	6.3	21,865	10.4	5.7	36,258	8.4	
1991	15,729	10.2	5.0	50,243	10.3	7.4	6.1	16,839	9.8	5.4	30,838	8.6	
1990	12,845	9.6	5.2	49,116	10.0	7.5	5.5	20,181	9.3	4.5	31,275	7.8	
1989	12,959	9.4	5.7	52,343	9.4	6.5	5.3	22,664	9.3	4.5	34,359	8.0	
1988	12,230	9.4	5.6	46,744	9.4	7.0	5.1	18,871	9.2	4.4	31,031	8.0	
1987	11,194	9.4	5.8	45,029	9.5	6.9	4.9	17,746	8.9	4.6	30,061	7.6	

⁽¹⁾ Reporting period is January 1 through December 31.



⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the analysis.

⁽⁵⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁶⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

⁽⁷⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 3 Run Date: 5/1/2007

Summary of Trends in Growth and Anemia Indicators Children Aged < 5 Years (2)

	Summary of Trends in Growth and Anemia Indicators (3)												
	В	irthweight (4)			Heiç	ght and V	Veight			Anemia Low Hb/Hct (7)		
Year		Low	High		Short Stature (5)	Under- weight (6)	Over- weight (6)		>_2 Yrs Overweight (6)				
	Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% <u>></u> 95th	Number	% 85th-<95th	% <u>></u> 95th	Number	%	
1986	10,245	9.3	5.4	40,551	9.3	6.8	4.8	15,884	10.2	4.3	27,801	8.3	
1985	8,636	9.8	5.2	38,004	9.8	6.7	5.1	16,613	9.7	4.6	27,615	7.8	
1984	8,024	9.8	5.5	35,228	10.4	6.7	5.4	15,019	10.1	4.9	26,327	9.3	
1983	7,569	10.0	5.0	30,464	11.2	7.6	5.5	12,110	10.4	4.8	23,099	13.0	
1982	6,628	10.0	5.2	27,320	11.0	7.4	5.3	11,703	10.7	5.1	21,657	13.2	
1981	5,582	10.9	5.4	23,030	12.0	8.4	5.8	9,494	11.5	5.7	18,108	14.3	
1980	5,665	10.1	5.4	23,025	10.8	10.0	6.1	10,008	11.2	5.8	18,294	13.5	
1979	4,194	10.9	6.0	15,622	11.5	9.0	6.5	6,795	11.6	6.3	12,251	14.9	
1978	692	10.5	4.0	2,960	12.1	8.9	4.8	1,322	12.2	6.0	720	12.9	
1977	0	*	*	0	*	*	*	0	*	*	1	*	

⁽¹⁾ Reporting period is January 1 through December 31.



⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the analysis.

⁽⁵⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁶⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

⁽⁷⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 12C

2006 Pediatric Nutrition Surveillance (1)

Summary of Trends in Growth and Anemia Indicators Children Aged < 5 Years (2)

Page: 4 Run Date: 5/1/2007

	Summary of Trends in Growth and Anemia Indicators (3)												
	В	irthweight (4)			Hei	ght and V	/ eight			Aner Low Hi		
Year		Low	High		Short Stature (5)	Under- weight (6)	Over- weight (6)		>_2 Yrs Overweight (6)			(7)	
	Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥95th	Number	% 85th-<95th	% <u>></u> 95th	Number	%	
1976	0	*	*	0	*	*	*	0	*	*	0	*	
1975	0	*	*	0	*	*	*	0	*	*	1	*	



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the analysis.

⁽⁵⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁶⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

⁽⁷⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Summary of Trends in Breastfeeding Children Aged < 5 Years (2)

	Sı	ımmary of	Trends in	n Breastfe	eding (3)	
			Breas	stfeeding (4)		
Year	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
2006	26,660	74.2	20,820	28.9	14,266	18.5
2005	25,138	73.5	20,393	28.5	14,346	19.0
2004	24,603	72.6	20,202	27.2	15,287	17.1
2003	32,308	70.1	17,517	26.9	15,565	15.4
2002	23,900	70.7	8,149	25.7	11,577	13.2
2001	22,109	69.7	7,922	25.6	11,320	12.8
2000	21,139	68.1	7,716	23.8	11,342	12.6
1999	5,967	67.6	3,688	22.6	4,709	14.6
1998	20,962	66.9	7,735	23.7	11,165	14.0
1997	16,204	66.4	15,120	24.9	10,873	15.1

⁽¹⁾ Reporting period is January 1 through December 31.



Page:

Run Date:

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Summary of Trends in Breastfeeding Children Aged < 5 Years (2)

	Sı	ımmary of	Trends ir	Breastfe	eding (3)								
		Breastfeeding (4)											
Year	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months							
1996	14,934	64.9	12,319	23.7	9,662	12.5							
1995	16,039	66.1	9,086	22.2	9,645	10.6							
1994	19,443	74.2	8,636	21.6	11,566	11.3							
1993	18,320	65.0	6,630	16.7	9,147	9.0							
1992	17,663	58.1	6,198	15.7	8,158	8.5							
1991	16,204	49.6	6,233	13.5	8,687	6.8							
1990	600	63.8	117	4.3	143	0.0							
1989	17	*	0	*	0	*							



Page:

Run Date:

⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 14C 2006 Pediatric Nutrition Surveillance Colorado Children Aged < 5 Years

Page: 1 Run Date: 5 / 1 / 07

This table is forthcoming. It may present changes over time in the prevalence of short stature, underweight, overweight, or anemia among cohorts of children participating in the PedNSS.

Table 15C 2006 Pediatric Nutrition Surveillance Colorado Children Aged < 5 Years

Page: 1 Run Date: 5 / 1 / 07

This table is forthcoming. It may present changes over time in the prevalence of short stature, underweight, overweight, or anemia among cohorts of children participating in the PedNSS.

Growth Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2) Page: 1 Run Date: 5/1/2007

	C	arowth Inc	licators by I	Race/Ethn	icity and Aç	je (3)			
	Short S		Underw (5)	-	Overwei (5)	ght	<u>></u> :	2 Yrs Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic 0 - 11 Months 12 - 23 Months 24 - 59 Months	12,084 5,353 10,719	12.3 8.6 5.8	12,084 5,353 10,719	4.4 5.4 3.9	12,084 5,353 10,719	5.8 6.7 6.7	0 0 10,719	0.0 0.0 13.9	0.0 0.0 6.7
Total	28,156	9.1	28,156	4.4	28,156	6.3	10,719	13.9	6.7
Black, Not Hispanic 0 - 11 Months 12 - 23 Months 24 - 59 Months	2,781 1,053 1,800 5,634	15.2 6.6 4.3 10.2	2,781 1,053 1,800 5,634	4.1 6.8 5.9 5.2	2,781 1,053 1,800 5,634	5.9 6.9 6.5 6.3	0 0 1,800 1,800	0.0 0.0 12.1 12.1	0.0 0.0 6.5 6.5
Hispanic 0 - 11 Months 12 - 23 Months 24 - 59 Months Total	24,120 10,835 22,459 57,414	9.7 7.8 4.7 7.4	24,120 10,835 22,459 57,414	2.8 4.1 2.9 3.1	24,120 10,835 22,459 57,414	7.2 9.5 11.2 9.2	0 0 22,459 22,459	0.0 0.0 15.5 15.5	0.0 0.0 11.2 11.2
American Indian/Alaskan Native 0 - 11 Months 12 - 23 Months 24 - 59 Months Total	382 186 369 937	10.5 3.8 3.3 6.3	382 186 369 937	2.4 3.8 3.5 3.1	382 186 369 937	7.3 10.2 13.0 10.1	0 0 369 369	0.0 0.0 13.6 13.6	0.0 0.0 13.0 13.0



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁵⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Growth Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2) Page: 2 Run Date: 5/1/2007

	C	Growth Inc	dicators by F	Race/Ethn	icity and Aç	ge ⁽³⁾			
	Short S		Underw (5)		Overwei (5)	ght	≥ :	2 Yrs Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Asian/Pacific Islander							_		
0 - 11 Months	645	11.2	645	3.6	645	5.7	0	0.0	0.0
12 - 23 Months	240	9.2	240	9.6	240	5.4	0	0.0	0.0
24 - 59 Months	456	6.4	456	5.5	456	10.3	456	10.1	10.3
Total	1,341	9.2	1,341	5.3	1,341	7.2	456	10.1	10.3
Multiple Races									
0 - 11 Months	1,137	12.7	1,137	4.3	1,137	7.0	0	0.0	0.0
12 - 23 Months	635	6.5	635	5.7	635	9.6	0	0.0	0.0
24 - 59 Months	1,305	4.6	1,305	4.1	1,305	7.9	1,305	12.1	7.9
Total	3,077	8.0	3,077	4.5	3,077	7.9	1,305	12.1	7.9
All Other/Unknown									
0 - 11 Months	33	*	33	*	33	*	0	*	*
12 - 23 Months	5	*	5	*	5	*	0	*	*
24 - 59 Months	3	*	3	*	3	*	3	*	*
Total	41	*	41	*	41	*	3	*	*
Total All Race/Ethnic Groups									
0 - 11 Months	41,182	11.0	41,182	3.4	41,182	6.7	0	0.0	0.0
12 - 23 Months	18,307	7.9	18,307	4.7	18,307	8.5	0	0.0	0.0
24 - 59 Months	37,111	5.0	37,111	3.4	37,111	9.6	37,111	14.7	9.6
Total	96,600	8.1	96,600	3.7	96,600	8.2	37,111	14.7	9.6



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁵⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2)

Page: Run Date:

	Anemia	Indicators	Race/Ethnicity and Age (3, 4)		
	Number	Anemia Low Hb/Hct %		Number	Anemia Low Hb/Hct %
White, Not Hispanic			Asian/Pacific Islander		
6 - 11 Months	1,716	14.6	6 - 11 Months	97	*
12 - 17 Months	3,221	12.9	12 - 17 Months	140	15.7
18 - 23 Months	2,086	10.4	18 - 23 Months	107	12.1
24 - 35 Months	3,024	10.2	24 - 35 Months	136	13.2
36 - 59 Months	4,434	6.9	36 - 59 Months	189	10.1
Total	,		Total	669	12.0
Black, Not Hispanic	, Not Hispanic		Multiple Races		
6 - 11 Months	6 - 11 Months 402 22.4		6 - 11 Months	183	15.8
12 - 17 Months	, it identities ——··		12 - 17 Months	351	13.7
18 - 23 Months	411	21.9	18 - 23 Months	247	13.4
24 - 35 Months	506	22.1	24 - 35 Months	375	12.8
36 - 59 Months	724	17.4	36 - 59 Months	505	8.9
Total	2,673	20.3	Total	1,661	12.2
Hispanic			All Other/Unknown		
6 - 11 Months	3,994	14.1	6 - 11 Months	4	*
12 - 17 Months	6,822	14.0	12 - 17 Months	4	*
18 - 23 Months	4,511	12.3	18 - 23 Months	2	*
24 - 35 Months	6,560	15.3	24 - 35 Months	2	*
36 - 59 Months	10,069	8.3	36 - 59 Months	1	*
Total	31,956	12.2	Total	13	*
American Indian/Alaskan Native			Total All Race/Ethnic Groups		
6 - 11 Months	55	*	6 - 11 Months	6,451	14.8
12 - 17 Months	110	12.7	12 - 17 Months	11,278	14.0
18 - 23 Months	83	*	18 - 23 Months	7,447	12.4
24 - 35 Months	106	13.2	24 - 35 Months	10,709	14.0
36 - 59 Months	167	10.8	36 - 59 Months	16,089	8.4
Total	521	13.6	Total	51,974	12.1



⁽¹⁾ Reporting period is January 1 through December 31.(2) Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

utrition Surveillance (1) Run Date:

Page:

5/1/07

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity Children Aged < 5 Years $^{(2)}$

Race/Ethnicity and Year		E	Birthweight	(4)			Hei	ght and V	Veight			Aner	mia
			Low	High		Short Stature (5)	Under- weight (6)	Over- weight (6)		≥ 2 Yrs Overweight (6)		Low H	b/Hct
		Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥95th	Number	% 85th - <95th	% ≥95th	Number	%
White, Not Hispanic	2006 2005 2004 2003 2002 2001 2000 1999 1998 1997	7,787 6,682 8,504 11,438 8,651 8,526 8,789 2,655 9,952 8,027	10.7 10.8 11.2 10.9 10.6 10.0 9.7 9.9 9.5 10.0	4.8 4.4 4.1 4.6 4.7 4.7 5.3 5.1 5.7 5.6	28,156 25,878 33,548 43,556 31,660 31,088 31,361 10,311 38,232 35,005	9.1 9.0 8.8 8.6 8.8 8.5 13.0 13.0 12.8 12.1	4.4 3.8 4.3 4.9 5.2 4.9 3.6 3.3 3.8 3.9	6.3 6.5 7.2 6.6 6.1 6.0 10.9 10.7 10.6 10.3	10,719 10,461 13,548 19,268 13,421 12,930 13,201 4,899 16,492 14,758	13.9 13.9 12.9 12.4 11.6 15.4 15.6 14.8 14.3	6.7 7.1 7.4 6.8 6.5 6.6 8.8 9.4 8.1	14,481 13,293 17,601 18,842 17,924 17,374 17,606 4,914 22,517 22,670	10.3 9.0 6.2 6.9 6.0 6.0 5.5 5.7 6.1 6.7
Black, Not Hispanic	2006 2005 2004 2003 2002 2001 2000 1999 1998 1997	1,812 1,484 1,651 2,200 1,554 1,585 1,549 477 1,719 1,352	17.2 15.7 15.7 15.5 12.9 14.3 14.7 10.1 14.3 15.1	2.5 3.2 2.7 3.5 3.7 3.2 3.8 2.3 3.5 3.1	5,634 4,501 5,402 6,754 4,888 4,822 4,970 1,547 5,677 5,443	10.2 9.8 10.2 9.3 9.8 10.5 14.1 13.7 14.0 12.9	5.2 5.6 5.0 5.4 5.8 5.7 4.8 3.9 4.7 4.6	6.3 7.6 7.0 8.1 7.3 6.7 12.6 12.5 11.0	1,800 1,457 1,775 2,517 1,836 1,836 1,914 610 2,283 2,166	12.1 12.8 11.8 10.6 10.9 11.4 13.9 12.5 12.0	6.5 6.7 6.3 6.2 6.0 6.0 7.2 9.8 7.5 7.3	2,673 2,082 2,534 2,640 2,576 2,450 2,554 683 3,064 3,386	20.3 13.6 9.2 11.1 8.6 8.0 9.5 8.2 8.1 9.0



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the analysis.

⁽⁵⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁶⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

⁽⁷⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: Run Date: 5 /

5 / 1 / 07

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity Children Aged < 5 Years (2)

Race/Ethnicity and Year		E	Birthweight	(4)			Hei	ght and V	Veight			Aner	mia
			Low	High		Short Stature (5)	Under- weight (6)	Over- weight (6)		≥ 2 Yrs Overweight (6)		Low H	b/Hct
		Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥95th	Number	% 85th - <95th	% ≥95th	Number	%
Hispanic	2006 2005 2004 2003 2002 2001 2000 1999 1998 1997	15,630 12,831 12,865 16,807 12,556 10,993 9,920 2,696 8,787 6,381	8.8 9.0 8.5 9.1 8.9 9.1 8.6 9.0 9.8	4.8 4.5 5.3 5.2 5.5 5.4 5.1 4.9 5.1	57,414 46,400 48,513 62,677 41,105 36,973 32,911 10,023 30,427 25,867	7.4 7.4 7.1 7.3 7.9 8.0 12.5 12.3 12.6 12.5	3.1 2.7 2.7 3.4 3.8 3.8 2.9 3.0 2.9 3.1	9.2 9.5 10.0 10.0 9.5 9.2 14.6 14.9 13.4 13.8	22,459 18,384 19,015 26,847 16,321 14,749 13,112 4,522 12,514 10,919	15.5 16.2 15.3 14.6 14.4 14.2 17.2 16.4 17.1 16.5	11.2 11.0 11.5 11.4 10.7 10.3 13.6 14.7 12.1 12.2	31,956 25,657 27,419 27,383 22,851 20,080 18,152 4,794 17,858 17,377	12.2 10.1 8.0 8.2 8.2 7.9 7.2 7.0 6.4 6.9
American Indian/Alaskan Native	2006 2005 2004 2003 2002 2001 2000 1999 1998 1997	268 182 128 195 144 169 140 40 139 129	14.9 8.8 7.8 11.8 7.6 7.7 9.3 * 8.6 9.3	5.6 6.0 3.9 8.7 5.6 3.6 5.7 *	937 678 585 737 576 600 515 143 617 597	6.3 5.6 5.3 6.4 5.2 8.3 13.0 14.0 11.2	3.1 2.5 3.6 2.6 2.3 3.2 1.2 2.1 2.8 2.0	10.1 14.3 15.6 14.8 13.7 14.0 21.4 16.8 18.8 15.9	369 288 237 335 240 247 221 68 285 270	13.6 12.2 21.9 13.1 17.9 20.2 22.2 * 14.0 21.9	13.0 16.7 16.9 18.8 16.3 18.6 19.5 *	521 395 364 316 340 355 314 63 391 419	13.6 8.6 5.2 6.3 10.9 7.3 8.6 *



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the analysis.

⁽⁵⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁶⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

⁽⁷⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 3 Run Date: 5 / 1 / 07

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity Children Aged < 5 Years (2)

	Sum	_			h and Ar	nemia In				hnicity (3)		·	
Race/Ethnicity and Year		E	Birthweight	(4)			Hei	ght and \	Neight			Ane	mia
			Low	High		Short Stature (5)	Under- weight (6)	Over- weight (6)		≥ 2 Yrs Overweight (6)		Low F	lb/Hct
		Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥95th	Number	% 85th - <95th	% ≥95th	Number	%
Asian/Pacific Islander	2006 2005 2004 2003 2002 2001 2000 1999 1998 1997	408 358 341 564 382 338 322 96 355 296	11.0 14.0 10.0 9.0 8.9 13.0 12.1 *	3.2 3.6 3.2 3.9 1.0 4.1 3.4 * 2.3 3.0	1,341 1,143 1,290 1,707 1,130 1,120 1,117 355 1,378 1,260	9.2 9.3 8.3 9.8 9.7 9.3 16.3 14.4 14.4	5.3 5.0 5.5 7.4 6.6 5.2 5.6 5.4 4.3	7.2 8.0 6.9 6.7 6.9 6.4 12.8 9.0 11.1 10.6	456 385 435 607 384 442 436 159 568 509	10.1 14.0 13.3 10.5 12.0 10.9 15.6 17.0 16.5	10.3 11.4 9.0 7.4 8.9 8.1 13.3 7.5 10.0	669 553 693 694 566 591 615 158 810 816	12.0 11.2 8.2 6.9 9.4 5.8 6.7 8.9 6.7
Multiple Races	2006 2005 2004 2003 2002 2001 2000 1999 1998 1997	707 573 0 0 0 0 0 0 0	12.0 11.5 * * * * * * * *	3.3 4.5 * * * * * * * *	3,077 1,675 0 0 0 0 0 0 0	8.0 10.2 * * * * *	4.5 4.4 * * * * * * * *	7.9 7.6 * * * * *	1,305 624 0 0 0 0 0 0 0	12.1 13.6 * * * * * * * * * * *	7.9 8.7 * * * * *	1,661 831 0 0 0 0 0 0 0	12.2 10.8 * * * * * * * * *



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the analysis.

⁽⁵⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁶⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

⁽⁷⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

ic Nutrition Surveillance (1) Run Date: Colorado

Page:

5/1/07

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity Children Aged < 5 Years $^{(2)}$

	Sumi	mary of 1	rends ir	n Growt	h and An	nemia In	dicato	rs by F	Race/Etl	nnicity (3)			
Race/Ethnicity and Year		E	Birthweight	(4)			Hei	ght and \	Veight			Aner	mia
			Low	High		Short Stature (5)	Under- weight (6)	Over- weight (6)		≥ 2 Yrs Overweight (6)		Low H	b/Hct
		Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥95th	Number	% 85th - <95th	% n ≥95th	Number	%
All Other/Unknown	2006 2005 2004 2003 2002 2001 2000 1999 1998 1997	22 3,006 1,087 1,054 604 488 408 0 0	* 10.1 10.9 8.7 10.8 14.3 9.6 * *	* 5.0 5.3 4.6 6.6 4.5 5.4 *	41 12,943 3,370 3,217 1,872 1,530 1,269 0 0	* 8.1 8.2 7.9 10.0 9.3 11.3 *	* 3.7 4.0 5.3 6.5 5.0 5.4 *	* 8.9 7.5 7.8 7.6 6.5 11.5 * *	3 4,159 1,103 1,199 676 586 500 0 0	13.8 14.0 13.8 12.0 9.9 13.6	* 10.6 8.4 9.3 7.8 9.0 10.6 * *	13 6,261 1,524 1,241 996 817 693 0 0	* 12.2 9.0 8.8 7.6 6.0 7.4 *
Total All Race/Ethnic Groups	2006 2005 2004 2003 2002 2001 2000 1999 1998 1997	26,634 25,116 24,576 32,258 23,891 22,099 21,128 5,964 20,952 16,185	10.1 10.2 10.0 10.2 9.8 9.9 9.8 9.4 9.7 10.3	4.6 4.4 4.7 4.9 5.0 4.9 5.1 4.8 5.3 5.1	96,600 93,218 92,708 118,648 81,231 76,133 72,143 22,379 76,331 68,172	8.1 7.9 7.9 8.4 8.4 12.9 12.7 12.8 12.4	3.7 3.4 3.5 4.2 4.5 4.4 3.4 3.2 3.5 3.6	8.2 8.5 8.7 8.6 8.0 7.7 12.8 12.7 11.8	37,111 35,758 36,113 50,773 32,878 30,790 29,384 10,258 32,142 28,622	14.7 15.0 14.6 13.6 13.3 12.8 16.2 15.8 15.5	9.6 9.7 9.6 9.4 8.7 8.5 11.0 11.8 9.9 9.7	51,974 49,072 50,135 51,116 45,253 41,667 39,934 10,612 44,640 44,668	12.1 10.2 7.5 7.8 7.4 7.1 6.6 6.5 6.4 7.0



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the analysis.

⁽⁵⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁶⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

⁽⁷⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 1 Run Date: 5 / 1 / 07

Summary of Trends in Breastfeeding Indicators by Race/Ethnicity Children Aged < 5 Years (2)

S	ummary of Tren	ds in Brea	stfeeding In	dicators by	Race/Ethnic	city (3)	
Race/Ethnicity and Year				Brea	astfeeding (4)		
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
White, Not Hispanic	2006 2005 2004 2003 2002 2001 2000 1999 1998 1997	7,795 6,686 8,514 11,457 8,656 8,529 8,796 2,656 9,957 8,039	74.8 74.7 72.8 69.9 71.2 71.9 69.9 70.6 69.8 69.5	6,015 4,902 7,170 6,072 3,247 3,240 3,378 1,671 3,878 7,649	29.9 28.9 27.4 27.0 26.2 27.1 25.8 25.9 25.9	4,184 3,784 5,311 5,478 4,463 4,590 4,749 2,127 5,473 5,590	18.8 19.6 17.5 15.5 13.7 13.4 13.5 16.4 15.6
Black, Not Hispanic	2006 2005 2004 2003 2002 2001 2000 1999 1998 1997	1,812 1,484 1,651 2,201 1,555 1,585 1,550 477 1,719 1,352	68.2 64.1 62.7 62.3 59.0 57.3 56.6 52.6 55.9 54.5	1,395 981 1,252 1,204 493 465 502 295 543 1,242	22.9 21.5 17.5 17.9 18.5 16.1 16.9 15.9 16.8 16.0	839 697 913 838 657 666 750 346 784 836	13.1 15.1 11.6 9.4 8.8 6.5 9.7 9.2 9.1 7.7



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: Run Date:

5/1/07

Summary of Trends in Breastfeeding Indicators by Race/Ethnicity Children Aged < 5 Years (2)

Sumr	mary of Tren	ds in Brea	stfeeding In	dicators by	Race/Ethnic	city (3)	
Race/Ethnicity and Year				Brea	astfeeding (4)		
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
Hispanic	2006 2005 2004 2003 2002 2001 2000 1999 1998 1997	15,645 12,843 12,872 16,836 12,558 10,999 9,923 2,698 8,791 6,388	75.1 74.4 74.0 71.7 72.2 70.1 68.8 68.1 66.5 65.6	12,312 9,033 10,529 9,324 4,040 3,844 3,504 1,636 3,107 5,801	29.4 29.0 28.4 28.2 26.4 25.5 22.9 20.8 22.6 24.2	8,431 7,215 8,124 8,499 5,917 5,578 5,355 2,132 4,612 4,147	19.0 18.9 17.5 15.7 13.0 12.8 12.1 13.6 13.3 14.6
American Indian/Alaskan Native	2006 2005 2004 2003 2002 2001 2000 1999 1998 1997	268 182 128 195 144 169 140 40 140 129	76.1 78.6 75.8 72.8 70.1 70.4 69.3 *	175 116 110 109 57 59 50 24 54 119	27.4 24.1 36.4 28.4 * * * *	135 101 107 93 97 101 85 28 91	18.5 24.8 22.4 * * * 19.8 *



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 3 Run Date: 5 / 1 / 07

Summary of Trends in Breastfeeding Indicators by Race/Ethnicity Children Aged < 5 Years (2)

S	ummary of Tren	ds in Brea	stfeeding In	dicators by	/ Race/Ethnic	city (3)	
Race/Ethnicity and Year				Brea	astfeeding (4)		
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
Asian/Pacific Islander	2006 2005 2004 2003 2002 2001 2000 1999 1998 1997	408 358 341 564 383 338 322 96 355 296	58.1 59.8 60.1 57.6 51.4 53.6 47.5 *	295 240 309 292 105 123 108 62 153 309	23.1 23.8 18.4 19.5 18.1 18.7 16.7 *	185 168 262 243 151 163 175 76 205 205	17.3 17.3 12.2 14.0 8.6 12.3 8.0 *
Multiple Races	2006 2005 2004 2003 2002 2001 2000 1999 1998 1997	708 574 0 0 0 0 0 0 0	71.5 72.5 * * * * * *	611 331 0 0 0 0 0 0 0	26.0 25.4 * * * * * *	482 260 0 0 0 0 0 0	15.8 14.6 * * * * * *



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 4
Run Date: 5 / 1 / 07

Summary of Trends in Breastfeeding Indicators by Race/Ethnicity Children Aged < 5 Years (2)

Sum	mary of Tren	ds in Brea	stfeeding In	dicators by	Race/Ethnic	city (3)	
Race/Ethnicity and Year				Brea	astfeeding (4)		
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
All Other/Unknown	2006 2005 2004 2003 2002 2001 2000 1999 1998 1997	24 3,011 1,097 1,055 604 489 408 0 0	* 72.8 73.7 69.9 73.7 73.2 70.3 * *	17 4,790 832 516 207 191 174 0 0	29.1 27.4 28.1 23.7 29.3 25.9	10 2,121 570 414 292 222 228 0 0	* 19.8 18.1 15.9 16.8 17.6 13.6 *
Total All Race/Ethnic Groups	2006 2005 2004 2003 2002 2001 2000 1999 1998 1997	26,660 25,138 24,603 32,308 23,900 22,109 21,139 5,967 20,962 16,204	74.2 73.5 72.6 70.1 70.7 69.7 68.1 67.6 66.9 66.4	20,820 20,393 20,202 17,517 8,149 7,922 7,716 3,688 7,735 15,120	28.9 28.5 27.2 26.9 25.7 25.6 23.8 22.6 23.7 24.9	14,266 14,346 15,287 15,565 11,577 11,320 11,342 4,709 11,165 10,873	18.5 19.0 17.1 15.4 13.2 12.8 12.6 14.6 14.0 15.1



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: Run Date:

5/1/07

Summary of Trends in Growth Indicators by Age Children Aged < 5 Years (2)

				Su	mmary	of Tren	ds in	Gro	owth Indicators	by Ag	e (3)					
Age and Year *			Heig	ht and V	Veight				Age and Year *			Heig	ht and V	Veight		
		Short Stature (4)		Over- weight (5)		≥ 2 Yrs Overweight (5)					Short Stature (4)	Under- weight (5)	Over- weight (5)	(≥ 2 Yrs Overweight (5)	
	Number	% <5th	% <5th	% ≥95th	Number	% 85th-<95th	% ≥95th			Number	% <5th	% <5th	% ≥95th	Number	% 85th-<95th	% ≥95th
0 - 11 Months									24 - 35 Months							
2006 2005	41,182 39,401	11.0 10.9	3.4 3.1	6.7 7.3	-	-	-		2006 2005	14,376 13,598	5.3 5.3	3.4 3.1	8.5 8.3	14,376 13,598	14.4 14.6	8.5 8.3
2004 2003	38,074 42,850	10.7 10.8	3.3 3.9	7.7 7.3	-	-	-		2004 2003	13,636 20,041	5.8 5.8	3.0 3.8	8.7 8.9	13,636 20,041	14.6 13.6	8.7 8.9
2002 2001	31,046 28,692	11.7 11.6	4.4 4.4	6.6 6.1	-	-	-		2002 2001	12,661 11,889	5.8 6.2	4.5 4.2	8.1 7.7	12,661 11,889	13.1 12.6	8.1 7.7
2000 1999	26,271 7,029	17.6 17.9	3.1 3.2	15.3 14.8	-	-	-		2000 1999	11,369 3,962	8.9 9.6	3.3 3.2	10.6 12.4	11,369 3.962	16.2 15.4	10.6 12.4
1998 1997	27,809 25,498	17.2 15.7	3.4 3.2	14.0 14.2	-	- -	-		1998 1997	11,843 10,623	9.7 9.5	3.2 3.6	9.7 9.3	11,843 10,623	14.6 15.0	9.7 9.3
12 - 23 Months									36 - 47 Months							
2006 2005	18,307 18,059	7.9 8.3	4.7 4.6	8.5 8.8	-	-	-		2006 2005	12,041 11,662	5.1 5.0	3.8 3.0	9.6 9.9	12,041 11,662	14.4 15.3	9.6 9.9
2004 2003	18,521 25,025	7.5 8.0	4.5 5.0	8.8 9.2	-	-	-		2004 2003	11,762 17,201	5.2 5.6	3.4 4.2	10.1 9.2	11,762 17,201	14.3 13.7	10.1 9.2
2002 2001	17,307 16,651	8.1 8.1	5.0 4.5	9.1 8.7	-	-	-		2002 2001	10,836 10,078	5.6 5.6	4.4 4.4	8.7 8.7	10,836 10,078	13.1 12.5	8.7 8.7
2000 1999	16,488 5,092	13.3 12.9	4.0 4.0	12.1 11.8	-	-	-		2000 1999	9,482 3,495	8.0 9.2	3.2 2.9	11.5 12.2	9,482 3,495	15.9 15.8	11.5 12.2
1998 1997	16,380 14,052	12.8 12.8	3.9 4.3	12.0 11.6	-	-	-		1998 1997	10,480 9,421	9.2 9.7	3.7 3.9	10.3 9.9	10,480 9,421	15.6 14.5	10.3 9.9



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁵⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Summary of Trends in Growth Indicators by Age Children Aged < 5 Years (2)

Page: 2 Run Date: 5/1/07

 \geq 2 Yrs

Overweight

(5)

85th-<95th

%

%

≥95th

Height and Weight

(5)

≥95th

%

Number

Under- Over-

weight weight

(5)

%

<5th

				Su	mmary	of Tren	ds in	Growth Indicators	s by Age	(3)
Age and Year *	Height and Weight						Age and Year *			
		Short Stature (4)		Over- weight (5)	≥ 2 Yrs Overweight (5)				S	Short Stature (4)
	Number	% <5th	% <5th	% ≥95th	Number	% 85th-<95th	% ≥95th		Number	% <5th
48 - 59 Months									•	
2006	10,694	4.4	3.1	11.0	10,694	15.4	11.0			
2005	10,498	4.4	3.1	11.1	10,498	15.2	11.1			
2004	10,715	4.6	3.4	10.3	10,715	15.0	10.3			
2003	13,531	5.0	4.2	10.3	13,531	13.7	10.3			
2002	9,381	4.9	4.6	9.6	9,381	13.9	9.6			
2001	8,823	5.1	4.3	9.5	8,823	13.5	9.5			
2000	8,533	8.0	3.3	11.0	8,533	16.4	11.0			
1999	2,801	8.5	2.3	10.2	2,801	16.4	10.2			
1998	9,819	8.1	3.4	9.7	9,819	16.5	9.7			
1997	8,578	8.4	3.4	10.0	8,578	15.8	10.0			
Total All Age Groups										
2006	96,600	8.1	3.7	8.2	37,111	14.7	9.6			
2005	93,218	8.1	3.4	8.5	35,758	15.0	9.7			
2004	92,708	7.9	3.5	8.7	36,113	14.6	9.6			
2003	118,648	7.9	4.2	8.6	50,773	13.6	9.4			
2002	81,231	8.4	4.5	8.0	32,878	13.3	8.7			
2001	76,133	8.4	4.4	7.7	30,790	12.8	8.5			
2000	72,143	12.9	3.4	12.8	29,384	16.2	11.0			
1999	22,379	12.7	3.2	12.7	10,258	15.8	11.8			
1998	76,331	12.8	3.5	11.8	32,142	15.5	9.9			
1997	68,172	12.4	3.6	11.8	28,622	15.0	9.7			

(1) Reporting period is Jan	nuary 1 through December 31.	

⁽²⁾ Analyses based on one record per child.



⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁵⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page:

1999

1998

1997

2,095

9,182

7,709

Run Date:

5/1/07

Summary of Trends in Anemia by Age Children Aged < 5 Years (2)

		Summa	ary of Tı	s in Anemia by Age ⁽³⁾		
Age and Year		Anen Low Hb		Age and Year	Anemia Low Hb/Hct (4)	
		Number	%		Number	%
6 - 11 Months				18 - 23 Months		
	2006	6,451	14.8	2006	7,447	12.4
	2005	5,954	12.1	2005	7,253	10.8
	2004	4,941	10.5	2004	7,306	7.2
	2003	5,751	11.0	2003	7,847	7.9
	2002	4,748	10.2	2002	6,488	7.5
	2001	4,385	10.8	2001	6,156	6.9
	2000	3,918	9.7	2000	5,969	7.0
	1999	1,323	9.4	1999	1,795	5.4
	1998	5,565	9.7	1998	6,091	6.5
	1997	12,542	10.5	1997	5,341	6.8
12 - 17 Months				24 - 35 Months		
	2006	11,278	14.0	2006	10,709	14.0
	2005	10,929	11.7	2005	9,862	11.8
	2004	11,846	9.0	2004	10,283	8.1
	2003	11,056	9.5	2003	10,630	8.7
	2002	9,294	9.7	2002	9,871	8.1
	2001	8,794	9.0	2001	9,011	7.7
	2000	8,834	8.3	2000	8,511	6.8

1999

1998

1997

2,195

8,906

6,671

8.5

7.9

8.0



7.2

7.3

6.1

⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page:

Run Date:

5/1/07

Summary of Trends in Anemia by Age

Children Aged < 5 Years (2)									
Summary of Tr	ends in	Anemia by Age ⁽³⁾							
Anemia		Age and Year	Anemia						

		Summa	ary of Tr	ends in	Anemia by Age	(3)		
Age and Year		Anem Low Hb/			Age and Year		Anem Low Hb	nia /Hct (4)
		Number	%				Number	%
36 - 59 Months	2006 2005 2004 2003 2002 2001 2000 1999 1998 1997	16,089 15,074 15,759 15,832 14,852 13,321 12,702 3,204 14,896 12,405	8.4 7.1 5.0 4.9 4.5 4.2 4.1 4.2 3.6 3.6		Total All Age Groups	2006 2005 2004 2003 2002 2001 2000 1999 1998 1997	51,974 49,072 50,135 51,116 45,253 41,667 39,934 10,612 44,640 44,668	12.1 10.2 7.5 7.8 7.4 7.1 6.6 6.5 6.4 7.0
All Other/Unknown	2006 2005 2004 2003 2002 2001 2000 1999 1998 1997	0 0 0 0 0 0 0	* * * * * * * * * * *					



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.